

VACUUM AND/OR VACUUM-BLOWING RECTANGULAR IRONING TABLE


SERIES 1980

Features and strengths

- Heated to keep work surface dry
- Rectangular shape for multipurpose operation
- Integrated vacuum fan holds the garment in place and dry the fabric after pressing
- Standard buck shape size 130 x 65 cm

Options

- Built-in boiler 5 liters, 4 kW for independent unit, complete of electric steam iron
- Swinging arm with heated sleeve arm
- Steam gun
- Lighting device
- Steam iron suspension
- Electric steam iron group
- Anti shine Teflon Shoe
- Vacuum and blowing motor 0,80 hp
- Iron rest
- Different buck shape sizes also available



TYPE		1980/A	1980/AC	1980/S	1980/SC
ELECTRIC CONNECTIONS					
Standard voltage					
230 V / 1 Ph / 50 Hz	kW	1,5	-	1,5	-
400 V / 3 Ph / 50 Hz	kW	-	6,2	-	6,2
Other voltages available on request					
Vacuum motor power	kW	0,6	0,6	0,6	0,6
Water feed pump	kW	-	0,37	-	0,37
WATER AND AIR CONNECTIONS					
Water inlet	inch	-	1/2"	-	1/2"
Water drainage	inch	-	1/2"	-	1/2"
Air compressed inlet	inch	-	-	-	1/4"
OPERATING PRESSURE					
Steam	bar	3	4,5	3	4,5
Air compressed	bar	-	-	5	5
SHIPPING DETAILS					
Packing type		Pallet + carton box			
Shipping dimensions	mm	1330 x 700 x 550			
Weight	kg	80	140	90	150

UniMac preserves the right to change the machines and the specification in this leaflet at any time, without prior notice. Details and photographs are only for information and never binding.